

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2744	(dismount\$ unload\$)near3(driver protocol stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:18
L3	60677	(mount\$ load\$3)near3(driver protocol stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:19
L4	988	1 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:20
L5	573	4 same stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:20
L6	7	5 same protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:20
L7	480	5 and(@ad<"20010314" @prad<"20010314" @rlad<"20010314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:30
L8	14	7 and("709"/\$3 "710"/\$3 "711"/\$3 "712"/\$3 "713"/\$3 "718"/\$3 "719"/\$3 "370"/\$6 "725"/\$3 "358"/\$6).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:32
L9	414338	((memory buffer cache resource capacity space)near7(avail\$ unavail\$ sufficien\$ insufficien\$ enough)) tsr (terminate adj stay))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:43
L10	10	1 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:44

EAST Search History

L11	13	4 same 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:45
L17	10	("6111866" "5699350" "5613096" "5517622" "5473608" "5317568"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 21:11
S1	2	"20020143962"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:34
S2	131	(CARTER near2 GEORGE).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:34
S3	10	S2 and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:42
S4	31561	(plural\$3 multi\$3 two second)adj3 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 17:06
S5	43395	(dismount\$ unload\$ unbind\$ unbound\$ chang\$4 switch\$4 kill\$4)near5 (protocol stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 18:34
S6	343938	(memory buffer cache resource capacity space)near5(avail\$ unavail\$ sufficien\$ insufficien\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:35
S7	396	S5 same S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 17:11
S8	43	(S4 and S7)and(@ad<"20010314" @prad<"20010314" @rlad<"20010314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:10

EAST Search History

S9	13220	protocol near5 stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 17:31
S10	2603	(dismount\$ unload\$ unbind\$ unbound\$)near5(protocol stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:08
S11	48	S10 and (@ad<"20010314" @prad<"20010314" @rlad<"20010314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:12
S12	19	(S6 same S10) and(@ad<"20010314" @prad<"20010314" @rlad<"20010314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 18:35
S13	5344	load\$4 near6 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 18:34
S14	63600	(select\$5 chang\$4 switch\$4)near4(protocol stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 18:35
S15	522	S13 same S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 18:35
S16	133	S4 and S15 and (@ad<"20010314" @prad<"20010314" @rlad<"20010314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:58
S17	16	S9 with unload\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:06
S18	2141	(dismount\$ unload\$ unbind\$ unbound\$)with(load\$3 mount\$ bind\$3)with(protocol stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 20:17

EAST Search History

S19	21	S6 same S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:10
S20	18	S19 and(@ad<"20010314" @prad<"20010314" @rlad<"20010314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:10
S21	3424	((dismount\$ unload\$ unbind\$ unbound\$)near5(software module driver protocol stack))same((load\$3 mount\$ bind\$3)near5(software module driver protocol stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:12
S22	35	S21 and S9 and(@ad<"20010314" @prad<"20010314" @rlad<"20010314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:23
S23	27982	(dismount\$ unload\$ unbind\$ unbound\$ remov\$ delet\$)near5(stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:21
S24	32620	(mount\$ load\$3 bind\$)near5(stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:22
S25	15	(S23 same S24 same protocol)and(@ad<"20010314" @prad<"20010314" @rlad<"20010314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:34
S26	9	(S23 same S24) and S9 and(@ad<"20010314" @prad<"20010314" @rlad<"20010314")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 20:34